



“ЭлекТрейд-М”

121248, Россия, г.Москва, Кутузовский проспект 7/4, корп.6, офис 50

Тел./Факс: (495)974-1480 (многоканальный).

E-mail: info@eltn.ru

<http://www.eltn.ru>

info@electrade.ru

<http://www.electrade.ru>

DataMetrics PRICE LIST

Model 1600-NM

Thermal Printer

Base Price for 110VAC

ЗВОНИТЕ

24 VDC

ЗВОНИТЕ

220 VAC

ЗВОНИТЕ

Options (Cost on options are per unit)

32MB Memory

ЗВОНИТЕ

RS232 Interface

ЗВОНИТЕ

Ethernet (10 BaseT/Base2)

ЗВОНИТЕ

Model 2180

Rugged Laser Printer

Base Model Price

ЗВОНИТЕ

Standard features includes: 1 parrallel port, 1 USB port, 16MB builtin RAM, 110-220 VAC (50-60 Hz)

Options (Cost on options are per unit)

Vehicle Adaptor Tray

ЗВОНИТЕ

Rack Mount Kit

ЗВОНИТЕ

128MB Memory Upgrade

ЗВОНИТЕ

Ethernet (10/100 BaseTX)

ЗВОНИТЕ

Model 4080

Rugged Half-Page Thermal Printer

Base Model Price

ЗВОНИТЕ

Standard features includes: 1 serial, 1 parallel, Standard 18-32 VDC Battery 20-25 VDC, Tabletop or Hand Carry, TEMPEST

Options (Cost on options are per unit)

Model 4680

Rugged Half-Page Airline Cockpit Printer

ЗВОНИТЕ

Base Model Price

Standard features includes: ARINC 597 Interface, 115 VAC (400Hz $\pm$ 10% aircraft power)

Options (Cost on options are per unit)

Model 8000

Rugged Full-Page Tactical Printer

Base Model Price

ЗВОНИТЕ

Standard features includes: 1 serial, 1 parallel, 115 VAC (47-440 Hz) or 28 VDC

Options (Cost on options are per unit)

Model 3000 *Formerly 2200*

Rugged Ground Mobile Printer (Dot Matrix)

Base Model Price

ЗВОНИТЕ

Standard features includes: 1 parrallel port, Choice of 20-32 VDC per MIL-STD-1275A or 95-240 VAC (47-440 autoranging)

Options (Cost on options are per unit)

Vehicle Adaptor Tray

ЗВОНИТЕ

32MB Memory

ЗВОНИТЕ

RS232 Interface

ЗВОНИТЕ

Ethernet (10BaseT/Base2)

ЗВОНИТЕ

Model 3100 *Formerly 1960*

Rugged Color Ink Jet Printer

Base Model Price

ЗВОНИТЕ

Standard features includes: 1 parrallel port, 1 ethernet port (10BaseT/Base2), 8MB built-in RAM, choice of 115 VAC (47-400 Hz), 220 VAC (47-400 Hz), or 24 VDC

Options (Cost on options are per unit)

Rack Mount Kit

ЗВОНИТЕ

32MB Memory Upgrade

ЗВОНИТЕ

RS232 Interface

Model 3200

Rugged Thermal Printer

Base Model Price Contact

ЗВОНИТЕ

Standard features includes:

Options (Cost on options are per unit)

Model 3300 *Formerly 1980*

Rugged Digital Color Laser Printer

Base Model Price

ЗВОНИТЕ

Standard features includes: 1 parrallel port, 1 USB port, 1 ethernet port (10/100BaseT), 64MB built-in RAM, choice of 115 VAC (47-400 Hz), 220 VAC (47-400 Hz), or 24 VDC

Options (Cost on options are per unit)

256MB Memory Upgrade (320MB memory total)

ЗВОНИТЕ

RS232 Interface

ЗВОНИТЕ

Model 3310

Rugged Digital Color Laser Printer

Base Model Price

ЗВОНИТЕ

Standard features includes: 1 USB, 1 Ethernet, 110-127 VAC (60 Hz) or 200-240 VAC (50 Hz), 16 MB Memory, 8 ppm black/color

Options (Cost on options are per unit)

Dual Voltage

ЗВОНИТЕ

Rack Mount Kit

ЗВОНИТЕ

Model 3315

Rugged Digital Color Laser Printer

Base Model Price

ЗВОНИТЕ

Standard features includes: 1 USB, 1 Ethernet, 110-127 VAC (60 Hz) or 200-240 VAC (50 Hz), 64 MB Memory, Duplex Printing, 10 ppm color, 12 ppm black,

Options (Cost on options are per unit)

Dual Voltage

ЗВОНИТЕ

Rack Mount Kit

ЗВОНИТЕ

256 MB Memory Upgrade (320 MB Total)

ЗВОНИТЕ

Model 3402 *Drop-In Replacement for Models 3400 & 3401***Rugged Laser Printer**

Base Model Price

ЗВОНИТЕ

Standard features includes: 1 USB port, 1 ethernet port (10BaseT),
32MB built-in RAM, Switchable between 10-124 VAC (50-60 Hz) and
200-240 VAC (50-60 Hz)

Options (Cost on options are per unit)

Rack Mount Kit

ЗВОНИТЕ

256MB Memory

ЗВОНИТЕ

Parallel IEEE 1284

ЗВОНИТЕ

Model 5110 FPD - 10" *Formerly 5100***10" RCOTS Flat Panel LCD Display**

Base Model Price

ЗВОНИТЕ

Standard features includes:

Options (Cost on options are per unit)

Resistive Touch Screen

ЗВОНИТЕ

Model 5112 FPD - 12" *Formerly 5200***12" RCOTS Flat Panel LCD Display**

Base Model Price

ЗВОНИТЕ

Standard features includes:

Options (Cost on options are per unit)

Resistive Touch Screen

ЗВОНИТЕ

Model 5115 FPD - 15" *Formerly 5300***15" RCOTS Flat Panel LCD Display**

Base Model Price

ЗВОНИТЕ

Standard features includes: 1024 x 768 XGA, 5 BNC – Separate
HV, 85 - 264 Vac (47 - 440 Hz)

Options (Cost on options are per unit)

Resistive Touch Screen

ЗВОНИТЕ

24 - 36, 48 VDC

ЗВОНИТЕ

Model 5117 FPD - 17" *Formerly 5400***17" RCOTS Flat Panel LCD Display**

Base Model Price

ЗВОНИТЕ

Standard features includes: 1280 x 1024 SXGA, 5 BNC – Separate
HV, 95 - 240 Vac (47 - 440 Hz)

Options (cost on options are per unit)

Resistive Touch Screen

ЗВОНИТЕ

20 - 32 VDC

ЗВОНИТЕ

Model 5119 FPD - 19" *Formerly 5500***19" RCOTS Flat Panel LCD Display**

Base Model Price

ЗВОНИТЕ

Standard features includes: 1280 x 1024 SXGA, 5 BNC – Separate
HV, 95 - 240 Vac (47 - 440 Hz)

Options (Cost on options are per unit)

Resistive Touch Screen

ЗВОНИТЕ

20 - 32 VDC

ЗВОНИТЕ

Model 5120 FPD - 20" *Formerly 5600***20" RCOTS Flat Panel LCD Display**

Base Model Price	ЗВОНИТЕ
Standard features includes: 1600 x 1200 VXGA, 5 BNC – Separate HV, 95 - 240 Vac (47 - 440 Hz)	
Options (Cost on options are per unit)	
Resistive Touch Screen	ЗВОНИТЕ
20 - 32 VDC	ЗВОНИТЕ
Model 5142 FPD - 42" *Formerly 5800*	
42" RCOTS Military Plasma Display Panel	
Base Model Price	ЗВОНИТЕ
Standard features includes: 1024 x 1024, NTSC, PAL, Component, S-Video, Composite, RGB and DVI interfaces; 85 - 264 VAC (47 - 63Hz)	
Options (Cost on options are per unit)	
Model 7008	
8U 21 Slot VME64x COTS Chassis	
Base Model Price	ЗВОНИТЕ
Standard features includes: 21 Slot VME64x Backplane, 85 - 264 VAC (47 - 440 Hz auto ranging)	
Options (Cost on options are per unit)	
Envirostat 2.0 System Monitor	ЗВОНИТЕ
Model 7009	
9U 21 Slot VME64x COTS Chassis	
Base Model Price	ЗВОНИТЕ
Standard features includes: 21 Slot VME64x Backplane, 85 - 264 VAC (47 - 440 Hz auto ranging)	
Options (Cost on options are per unit)	
Envirostat 2.0 System Monitor	ЗВОНИТЕ
Model 7010	
10U 21 Slot VME64x COTS Chassis	
Base Model Price	ЗВОНИТЕ
Standard features includes: 21 Slot VME64x Backplane, 85 - 264 VAC (47 - 440 Hz auto ranging)	
Options (Cost on options are per unit)	
Envirostat 2.0 System Monitor	ЗВОНИТЕ
Model 7103 *Formerly 6500*	
3U 5 Slot VME RCOTS Chassis	
Base Model Price	ЗВОНИТЕ
Standard features includes: 5 Slot VME Backplane, 95 - 125 VAC (47 - 440 Hz)	
Options (Cost on options are per unit)	
Envirostat 2.0 System Monitor	ЗВОНИТЕ
5 Slot VME 64x Backplane	ЗВОНИТЕ
Model 7107 *Formerly 6000 VME*	
7U 18 Slot VME RCOTS Chassis	
Base Model Price	ЗВОНИТЕ
Standard features includes: 18 Slot VME Backplane, Three phase WYE 95 - 125 VAC (47 - 440 Hz)	
Options (Cost on options are per unit)	
Envirostat 2.0 System Monitor	ЗВОНИТЕ
18 Slot VME 64x Backplane	ЗВОНИТЕ

Model 7204 *Formerly 7000-RC*

Multi Architecture Server Chassis

Base Model Price

ЗВОНИТЕ

Standard features includes: Shock isolated inner chassis - No backplane included

Options (Cost on options are per unit)

System Monitor

ЗВОНИТЕ

28 VDC

ЗВОНИТЕ

ATX Motherboard

ЗВОНИТЕ

5 Slot VME

ЗВОНИТЕ

5 Slot VME64x

ЗВОНИТЕ

12 Slot cPCI Backplane

ЗВОНИТЕ

Model 8211 *Formerly 6600 VME*

Full Long 9 Slot VME64x ATR Chassis

Base Model Price

ЗВОНИТЕ

Standard features includes: 9 Slot VME64x backplane, conduction and convection cooling, Three phase WYE 115 VAC (47 - 440 Hz)

Options (Cost on options are per unit)

9 Slot VME Backplane

ЗВОНИТЕ

Model 9100

Embedded Flight Computer

Base Model Price

ЗВОНИТЕ

Standard features includes: 1.8 GHz Pentium M, 1 GB Ram, 40 GB Hard Drive, 2 USB, 1 Ethernet, Wireless Internet, 2 x RS-232, 1 VGA Out, 1 LVDS Out.

Options (Cost on options are per unit)

Core 2 Duo 1.66 GHz

ЗВОНИТЕ

Model 9300 TuffRider Gen 2.0 - 8.4"

Touch-Screen Computer

Base Model Price

ЗВОНИТЕ

Standard features includes: 8.4" SVGA (800 x 600) display with resistive touch screen, 1.8GHz Pentium-M processor, 512MB of DDR memory, 4GB Compact Flash, 3ea USB 2.0 ports, 4ea RS-232 serial ports, 1ea combination Keyboard & Mouse port, 1ea 10/100 ethernet port, Circular MIL connectors for all I/O, "Panel" or "Vehicle" mount housings.

Options (Cost on options are per unit)

Windows XP PRO RUS OEM

ЗВОНИТЕ

8 GB Compact Flash Hard Drive

ЗВОНИТЕ

1 GB Memory

ЗВОНИТЕ

Model 9300 TuffRider Gen 2.0 - 10.4"

Touch-Screen Computer

Base Model Price

ЗВОНИТЕ

Standard features includes: 10.4" SVGA (800 x 600) display with resistive touch screen, 1.8GHz Pentium-M processor, 512MB of DDR memory, 4GB Compact Flash, 3ea USB 2.0 ports, 4ea RS-232 serial ports, 1ea combination Keyboard & Mouse port, 1ea 10/100 ethernet port, Circular MIL connectors for all I/O, "Panel" or "Vehicle" mount housings.

Options (Cost on options are per unit)

Windows XP PRO RUS OEM	ЗВОНИТЕ
8 GB Compact Flash Hard Drive	ЗВОНИТЕ
1 GB Memory	ЗВОНИТЕ

Model 9300 TuffRider Gen 2.0 - 12.1"

Touch-Screen Computer

Base Model Price

ЗВОНИТЕ

Standard features includes: 12.1" XGA (1024 x 768) display with resistive touch screen, 1.8GHz Pentium-M processor, 512MB of DDR memory, 4GB Compact Flash, 3ea USB 2.0 ports, 4ea RS-232 serial ports, 1ea combination Keyboard & Mouse port, 1ea 10/100 ethernet port, Circular MIL connectors for all I/O, "Panel" or "Vehicle" mount housings.

Options (Cost on options are per unit)

Windows XP PRO RUS OEM	ЗВОНИТЕ
8 GB Compact Flash Hard Drive	ЗВОНИТЕ
1 GB Memory	ЗВОНИТЕ

Model 9300 TuffRider Gen 2.0 - 15.1"

Touch-Screen Computer

Base Model Price

ЗВОНИТЕ

Standard features includes: 15.1" XGA (1024 x 768) display with resistive touch screen, 1.8GHz Pentium-M processor, 512MB of DDR memory, 4GB Compact Flash, 3ea USB 2.0 ports, 4ea RS-232 serial ports, 1ea combination Keyboard & Mouse port, 1ea 10/100 ethernet port, Circular MIL connectors for all I/O, "Panel" or "Vehicle" mount housings.

Options (Cost on options are per unit)

Windows XP PRO RUS OEM	ЗВОНИТЕ
8 GB Compact Flash Hard Drive	ЗВОНИТЕ
1 GB Memory	ЗВОНИТЕ

Model 9000 TuffRider Embedded

Embedded Computer (Separate from Display)

Base Model Price

ЗВОНИТЕ

Standard features includes: 1.8GHz Pentium-M processor, 512MB of DDR memory, 4GB Compact Flash, 3ea USB 2.0 ports, 4ea RS-232 serial ports, 1ea combination Keyboard & Mouse port, 1ea 10/100 ethernet port, Circular MIL connectors for all I/O.

Options (Cost on options are per unit)

Windows XP PRO RUS OEM	ЗВОНИТЕ
8 GB Compact Flash Hard Drive	ЗВОНИТЕ
1 GB Memory	ЗВОНИТЕ

Model 1040 PC 104

PC104 Single Board Computer

Base Model Price

ЗВОНИТЕ

Standard features includes: 4MB Flash Memory, 64MB SDRAM, CRT and TFT Interface with Backlight Control, 10/100 Mbit/s Ethernet, 2 RS232/RS485 Ports, 1 Parallel Port, 16 GPIO Lines, Up to 2 IDE Devices, 133 MHz ST Micro Atlas CPU

Options (Cost on options are per unit)

Model 1041 PC 104

PC 104 I/O Board

Base Model Price

ЗВОНИТЕ

Standard features includes: 4 USB 2.0 Ports, 2 IEEE 1394 FireWire Ports, 1 10/100 Mbit/s Ethernet Port

Options (Cost on options are per unit)

Model 1042 PC 104

PC 104 PCMCIA Board

Base Model Price

ЗВОНИТЕ

Standard features includes: 2 Type I/II or One Type III Card Supported, 2 IEEE 1394 FireWire Ports

Options (Cost on options are per unit)